Outdoor Interactive KIOSK 49" | 55" | 65"



We Shine Your Way To Success

Outdoor Signage KIOSK designed to meet the needs of various industries, providing an innovative and high-performance customer experience. The screens are available in three different sizes: 49 inches, 55 inches, and 65 inches, making them ideal for outdoor use with their robust and weather-resistant design.

CONTACT US

UAE: +971 50 359 8158 +971 4 258 6682

KSA: +966 57 806 3867

UAE, Dubai Saudi Arabia, Riyadh Azerbaijan, Baku

KIOSK

Interactive Outdoor Signage



EXCELLENT HEAT DISSIPATION

The excellent heat dissipation performance of this product is complemented by its high-quality components, which work in tandem to ensure maximum thermal stability and reliability.



AIR CONDITIONING SYSTEM
Working Temperature: -40 to 55




FANS COOLING SYSTEM
Working Temperature: -20 to 50



Hot air/cold air exhaust on the upper side









AUTOMATIC BRIGHTNESS ADJUSTMENT

his feature adjusts the brightness during the night time which is helpful to those with light sensitivity. Similarly, the brightness sensors automatically adjust brightness during the sunlight to make the screen fully readable make the display provide for continuous operation day and night.

Product Parameters

KIOSK Interactive Outdoor

Size	49"	55"	65"
Touch Technology	Capacitive Touch	Capacitive Touch	Capacitive Touch
Operating System	Windows 10	Windows 10	Windows 10
Resolution	3840 x 2160 (4K UHD)	3840 x 2160 (4K UHD)	3840 x 2160 (4K UHD)
Brightness	2000 nits	2000 nits	2000 nits
CPU	Intel i7	Intel i7	Intel i7
RAM	16GB DDR4	16GB DDR4	16GB DDR4
Storage	256GB	256GB	256GB
Wi-Fi	Wi-Fi 6	Wi-Fi 6	Wi-Fi 6
Contrast Ratio	1200:01:00	1200:01:00	1200:01:00
Viewing Angle	178° (H/V)	178° (H/V)	178° (H/V)
Aspect Ratio	16:09	16:09	16:09
Touch Points	20-point multi-touch	20-point multi-touch	20-point multi-touch
Dimensions	70 * 40 * 188 cm	80 * 40 * 197 cm	98 * 49 * 197 cm
Weight	95 Kgs	120 Kgs	148 Kgs
Color	Black	Black	Black
Glass	5mm tempered anti-glare glass	5mm tempered anti-glare glass	5mm tempered anti-glare glass
Response Time	<6ms	<6ms	<6ms
Interfaces	HDMI IN x1, VGA x1, USB 3.0 x2, RJ45, Audio	HDMI IN x1, VGA x1, USB 3.0 x2, RJ45, Audio	HDMI IN x1, VGA x1, USB 3.0 x2, RJ45, Audio
Audio	Built-in 3D stereo speakers	Built-in 3D stereo speakers	Built-in 3D stereo speakers
Mounting Options	Floorstanding	Floorstanding	Floorstanding
Protection Rating	IP65	IP65	IP65
Life	>50000H	>50000H	>50000H

Dimensions

Dimensions	49"	55"	65"
Length	188 cm	197 cm	197 cm
Width	70 cm	80 cm	98 cm
Depth	40 cm	40 cm	197 cm
Weight	95 kg	120 kg	148 kg



Usage



